

# INDEX MAPS.

**T.28N. R.11E. 2<sup>nd</sup> Mer.**

	67		61		61		61		60		60	
64	6	91	5	85	4	81	3	76	2	71	1	59
	91		90		85		81		76		71	
64	7	90	8	84	9	80	10	75	11	70	12	59
	89		89		84		80		75		70	
63	18	88	17	83	16	79	15	74	14	69	13	58
	88		87		83		79		74		69	
63	19	87	20	82	21	78	22	74	23	69	24	58
	86-87		86		83		78		73		68	
		86										
63	30		29	92	28	78	27	73	26	68	25	58
		66										
	66		65-85		82		77		72		67	
				82								
62	31	65	32		33	77	34	72	35	67	36	57
				65								
	56		56		55		55		55		55	

**T.17N. R.12E. 2<sup>nd</sup> Mer.**

		100		100		100		100		99		99
6	102	5	119	4	114	3	111	2	107	1	98	
		118		118		114		110		107	106	
7	102	8	118	9	114	10	110	11	107	12	98	
		117		117		113		110		107	106	
18	102	17	117	16	113	15	109	14	107	13	98	
		116		116		113		109	106	105	105	
19	101	20	116	21	112	22	109	23	105	24	98	
		119		119		112		108	104	104		
30	101	29	119	28	112	27	108	26	104	25	97	
		115		115		111		108	103	103		
31	100	32	115	33	111	34	108	35	103	36	97	
		95	97	95	96	96		96	95	95		

The figures on the lines refer to the page.

55.

Township 28 North, Range 11 East 2<sup>nd</sup> Mer.  
Ind.?

Ch. Lk. South Boundary. Var. 5° 50'.

West On S. Side of Sec. 36.  
40.00 Set gr. Sec. post. from which  
a Lym 20 in. dia. bears N 44 E. 12 lks. dist.  
a Beech 18 " " " S 23 W. 32 " "  
65.30 a Beech 18 in. dia.  
80.00 Set post. cor. of Sec. 35 & 36, fr. wh.  
a Beech 20 in. dia. bears S 64 E. 8 lks. &  
a Do. 10 " " " N 86 W. 22 " dist.  
Land, rich. Linn. Ash & Beech.

West On S. Side of sec. 35.  
40.00 Set gr. Sec. post. from which  
a Beech 18 in. dia. bears N 55 W. 23 lks.  
a Sugar 30 " " " N 47 E. 34 " dist.  
66.50 a Brook 20 lks. wide cor. S.  
80.00 Set post. cor. to sec. 34 & 35, fr. wh.  
an Ironwood 10 in. dia. bears S 41 W. 7 lks.  
a Do. 7 " " " N 35 W. 8 " dist.  
Land, as before.

West On S. Side of Sec. 34.  
22.08 a Beech 12 in. dia.  
40.00 Set gr. Sec. post. from which  
a Hickory 16 in. dia. bears N 53 E. 12 lks.  
a Lym 10 " " " S 7 W. 31 lks.  
67.21 a Beech 14 " "  
80.00 Set post. cor. to sec. 33 & 34, fr. wh.  
a Beech 18 in. dia. bears N 86 E. 7 lks.  
a Bl. Oak 8 " " " S 80 W. 21 "

West On S. Side of Sec. 33.  
26.00 a Hickory 15 in. dia.  
40.00 Set gr. Sec. post. from which  
a Beech 8 in. dia. bears S 33 W. 12 lks. dist.



T. 28 N. R. 11 E. 2<sup>nd</sup> Mer. Ind.  
Ch. Pk.

a Beech 18 in. dia. bears North 13 lb.  
72.20 a Mulberry 24 in. dia.  
80.00 Set post cor. to Sec. 32 & 33, fr. wh.  
a Wh. Oak 18 in. dia. bears S 46 E, 20  
a Hickory 18 " " " S 81 W, 29 lb.  
Land, as before.

West On S. side of Sec. 32.  
20.00 an <sup>ash</sup> 20 in. dia.  
40.00 Set gr. sec. post, fr. wh.  
a Beech 14 in. dia. bears N 48 E, 24 lb.  
a Do. 28 " " " South. 29 with.  
79.80 a Do. 10 " "  
80.00 Set post, cor. to Sec. 31 & 32, fr. wh.  
an Elm 12 in. dia. bears S 76 W, 16 lb. dist.  
a Do. 24 " " " N 67 E, 10 " "  
Land, as before.

West On S. side of Sec. 31.  
25.45 a Beech 14 in. dia.  
40.00 Set gr. sec. post, from which  
a Beech 18 in. dia. bears N 3 W, 16 lb.  
a Hickory 10 " " " S 44 W, 20 " dist.  
51.20 a Beech 8 " "  
75.10 Intersected North Line Between  
Ranges 11 & 12 E, T. 27 N. & T. 28 N.  
Land, Rich. Tim. Beech, Ash,  
Oak &c. No. 8th. of Spruce  
Surveyed in 1820.  
By John M. Donald  
Dep. Sur.

South Boundary.  
Continued, in Res. By. Co. Carter.  
West On S. side of Sec. 35.  
Beginning at the S. E. Boundary.

# S 28 N. R. 11 E. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

Ch. No.

8.50 Set post, Cor. to sec. 34 & 35, fr. wh.  
an Ironwood 10 in. dia. bears N 22 W. 9 lb.  
a Do. 12 " " " S 47 W. 5 "

West On S. side of sec. 34.

21.36 a Beech 18 in. dia.

40.00 Set gr. sec. post, from which  
a Beech 15 in. dia. bears S 72 W. 5 lb. dt.  
a Hickory 18 " " " N 80 E. 52 " "

66.69 a Beech 18 " "

80.00 Set post, cor. to sec. 33 & 34, fr. wh.  
a Hickory 24 in. dia. bears N 13 W. 4 lb. dt.  
an Elm 24 " " " S 76 W. 48 " "  
Land, level & dry 2<sup>nd</sup> rate, Tim.  
Beech, Oak, Ash, Elm, Sugar &  
Hickory & Lym, P. Ash, Spice  
Haw etc.

West On S. side of sec. 33.

20.19 a Hickory 18 in. diam.

20.95 Intersect S.W. Bdy. at Post  
surveyed Oct. 5<sup>th</sup> 1834.  
By ~ C. Carter, J.S.

## East Boundary.

Var. 6° 30' E.

North On E. side of sec. 36.

2.04 a Beech 18 in. dia.

40.00 Set gr. sec. post, from which  
a Lym 10 in. dia. bears N 40 W. 17 lb.  
a Beech 24 " " " S 18 W. 19 lb. dt.

54.35 an Elm 18 " "

80.00 Set post cor. of sec. 36 & 25, fr. wh.  
an Ash 18 in. dia. bears S 75 E. 10 lb. dt.  
a Hickory 14 in. dia. " S 50 W. 30 " "  
Land, rich, Tim. Beech, Oak, etc.

S. 28 N. R. 11 E. 2<sup>nd</sup> Mer. Ind.Ch. 1<sup>st</sup>

North Cen E. side of sec. 25.

4.75 a Sugar 10 in. dia.

40.00 Set gr. sec. post, from which  
a Sugar 4 in. dia. brs. S 56 E. 10 lb. dist. &  
an Ironwood 8 in. dia. " N 12 E. 17 " "

68.73 Interset Ind. Boundary line.

John M. C. Donald, Sep. sur. 1820.  
Continued by C. Carter "

North Cen E. side of sec. 25.

Beginning at the S. E. Boundary of  
the 10 mile square Reserve.11.27 Set post, cor. to sec. 24 & 25, from wh.  
a Hickory 18 in. dia. brs. S 8 W. 5 lb. dist.  
an Ash 10 " " " S 9 E. 18 " "  
Land, rolling & 2<sup>nd</sup> rate.

North Cen E. side of sec. 24.

31.31 an Ironwood 10 in. dia.

40.00 Set gr. sec. post, from which  
an Ash 15 in. dia. brs. S 7 E. 31 lb. dist. &  
a Wh. Oak 16 " " " N 23 E. 19 " "

46.30 a Stream 15 lb. wide crs. W.

53.16 a Hickory 18 in. dia.

77.25 an Ash 20 " "

80.00 Set post cor. to sec. 13 & 24, fr. wh.  
a Hickory 24 in. dia. brs. S 10 W. 24 lb.  
a Do. 10 " " " N 54 W. 19 "  
Land, rolling & 2<sup>nd</sup> rate. Lim.  
Beech, Oak, Ash, Elm, Poplar,  
Hickory, Spruce, Spice &c.

North Cen E. side of sec. 13.

11.90 a Beech 22 in. dia.

30.11 a Hickory 18 " "

40.00 Set gr. sec. post, from which  
a Beech 12 in. dia. brs. S 38 E. 22 lb. dist.

S. 28 N. R. 11 E. 2<sup>nd</sup> Mer. Ind. a  
 cl. M.

- a Beech 24 in. dia. br. N 1 W. 32 lbs. distant.  
 64.48 a Buckeye 18 in. dia.  
 68.50 a stream 25 lbs. wide. cor. W.  
 80.00 Set post. cor. to sec. 12 & 13, fr. wh.  
 an Ash 42 in. dia. br. N 4 W. 24 lbs. dist.  
 a Sugar 15 " " " S 15 W. 14 " "  
 Land, rolling 2<sup>nd</sup> rate. Thin. Beech,  
 Oak, Hickory, Elm, Ash, Sugar & Buckeye

North On E. side of Sec. 12.

- 15.50 a Hickory 18 in. dia.  
 27.85 a Wh. Oak 22 in. dia.  
 40.00 Set gr. sec. post. from which  
 an Ash 12 in. dia. br. N 22 E. 12 lbs. dist.  
 a Do. 15 " " " S 43 W. 21 " "  
 54.65 a Wh. Oak 30 in. dia.  
 70.70 a Do. 18 " "  
 80.00 Set post. cor. to sec. 1 & 12, fr. wh.  
 a Wh. Oak 18 in. dia. bears N 68 E. 11 lbs.  
 a Do. 15 " " " N 78 W. 14 " dist.  
 Land, rolling 2<sup>nd</sup> rate. Thin.  
 Oak, Hickory, Beech, Sugar, Lym,  
 Poplar Lym &c. Spice &c.

North On E. side of Sec. 1.

- 13.49 a Wh. Oak 18 in. dia.  
 32.79 a Beech 18 " "  
 40.00 Set gr. sec. post. from which  
 an Elm 10 in. dia. bears N 21 E. 8 lbs. dist.  
 a Bl. Oak 18 " " " S 11 E. 20 " "  
 52.72 an Elm 8 in. "  
 67.47 a Wh. Oak 24 in. diam.  
 77.55 Intersect Old Township line and  
 set post. cor. to Sp. 28 & 29 North,  
 Ranges 11 & 12 E. from which  
 a Wh. Oak 24 in. dia. br. S 45 W. 21 lbs. dist. &



S. 28 N. R. 11 E. 2<sup>nd</sup> Mer. Ind.  
Ch. H.

a Wh. Oak 18 in. dia. bears S 67 E 16 lb. dist.  
Land, south half rolling & 2<sup>nd</sup> rate.  
North 1/2 level & wet. Tim. Beech,  
Oak, Ash, Hickory, Elm, Poplar,  
Lynx & Spice &c. Va. 5<sup>th</sup> 50<sup>th</sup> E.  
Nov. 6<sup>th</sup> 1839. C. Carter, J.S.

### North Boundary.

West on S. side of Sec. 36. T. 29 N. R. 11 E.  
23.88 a Wh. Oak 36 in. dia.  
40.00 Set gr. sec. post, from which  
a Sugar 14 in. dia. bears N 62 E 38 lb. dist.  
a Wh. Oak 24 in. " " N 36 W 32 " "  
42.25 a Beech 28 " dia.  
80.00 Set post. cor. to sec. 35 & 36, fr. wh.  
a Beech 15 in. dia. bears N 31 E 45 lb. dist.  
a Dr. 18 " " " N 42 W 56 " "  
Land, rolling good 2<sup>nd</sup> rate.  
Tim. Beech, Oak, Ash, Lynx,  
Sugar Walnut, Elm, Hickory &  
Lynx &c. Spice &c.  
November 7<sup>th</sup> 1834.

West on S. side of Sec. 35. T. 29 N. R. 11 E.  
7.57 a Beech 18 in. dia.  
40.00 Set gr. sec. post, from which  
a Sugar 12 in. dia. bears N 64 E 29 lb.  
a Hickory 24 " " " S 45 W 22 " "  
64.90 a Wh. Oak 40 in. dia.  
80.00 Set post cor. to sec. 34 & 35, fr. wh.  
a Maple 18 in. dia. bears N 45 E 53 lb.  
a Wh. Oak 30 " " " N 81 W 54 lb. dist.  
Land, rolling & 2<sup>nd</sup> rate. Tim.  
Beech, Oak, Elm, Ash, Sugar &  
Hickory Lynx Poplar & Spice &c.



T. 28 N. R. 11 E. 2<sup>nd</sup> Mer. Ind. a

Ch. 4th. & see sec. 34, below.

West On S. side of sec. 33. T. 29 N. R. 11 E.

10.18 an Ash 18 in. dia.

13.00 Road from Fort Wayne to Indian-  
opolis

35.00 a stream 35 lb. wide crs. S.W.

37.00 same crs. N.W.

40.00 set  $\frac{1}{4}$  sec. post, from which  
a Wh. Oak 20 in. dia. bears S 80 E. 18 lb. off.  
a Beech 14 " " " N 65 W. 16 " "

42.00 same stream crs. S.W.

50.00 same stream " N.W.

61.05 an Elm 24 in. dia.

65.50 same stream crs. S.W.

80.00 set post cor. to sec. 32 & 33, fr. wh.  
a Hickory 36 in. dia. bears N 45 E. 18 lb. off.  
a Sugar 18 " " " N 43 W. 43 " "

Land, rolling & rich, Lin. Beech,  
Sugar, Oak, Ash, Walnut, Hickory  
Lynn &c. not much underbush.

West On S. side of sec. 34. T. 29 N. R. 11 E.

23.65 a Wh. Oak 30 in. dia.

40.00 set gr. sec. post, from which  
a Wh. Oak 28 in. dia. bears N 53 E. 43 lb.  
a Do. " " " N 34 W. 53 lb.

76.96 a Beech 18 in. dia.

80.00 set post, cor. to sec. 33 & 34, fr. wh.  
a Sugar 15 in. dia. bears N 27 E. 58 lb.  
a Wh. Oak 24 " " " N 73 W. 28 " off.

Land, rolling good 2<sup>nd</sup> rate.  
Lin. Beech, Oak, Sugar, Ash,  
Walnut Hickory Lynn &c. - Poplar.  
Not much underbush.

West On S. side of sec. 32. T. 29 N. R. 11 E.

20.00 an Ash 18 in. dia.

62

T. 28 N. R. 11 E. 2<sup>nd</sup> Men. Ind. a  
Ch. W.

37.91 a sugar 24 in. dia.  
40.00 Set gr. sec. post from which  
a Beech 24 in. dia. bears N 87 W. 10 lb. &  
a Br. Oak 18 " " " S 88 W. 31 lb. dt.  
65.08 an Elm 28 " "  
80.00 Set post cor. to sec. 31 & 32, fr. wh.  
a Beech 18 in. dia. bears N 59 E. 32 lb. &  
a Sugar 15 " " " N 75 W. 23 " dt.  
Land, rolling East half 2<sup>nd</sup> rate.  
Tim. Oak, Elm, Hickory, Lyrum &  
Spice &c.

West on S. side of Sec. 31. T. 29 N. R. 11 E.  
10.50 To Longlois Creek 60 lb. width.  
30.29 a Wh. Oak 24 in. dia.  
40.00 Set gr. sec. post, from which  
a Br. Oak 15 in. dia. bears N 48 W. 14 lb. dt.  
58.68 a Buckeye 15 " " " S 21 W. 28 " "  
71.65 <sup>any Oak or any dia.</sup> intersected cor. of 28 & 29, N. R. 10 &  
11 E. at post - Land, rolling &  
good. Tim. Beech, Oak, Ash,  
Elm, Sugar Hickory, Lyrum,  
Poplar Buckeye & Spice &c.  
Surveyed in 1839  
By G. Carter, Jr. S.

### West Boundary

N. 6. 70 E.  
North on E. side of Sec. 36. T. 28 N. R. 10 E.  
40.00 Set gr. sec. post, fr. wh.  
an Elm 10 in. dia. bears N 49 W. 11 lb. &  
an Ash 7 " " " N 30 E. 3 " dt.  
80.00 Set post, cor. to sec. 25 & 36,  
a cottonwood 10 in. dia. bears S 26 W. 9 lb. dt.  
a Maple 12 " " " N 22 E. 16 " "  
Land, level & wet. Oak, Elm & Maple.

T. 28 N. R. 11 E. 2<sup>nd</sup> Mer. Ind. a

Ch. W.

North Cen. E. side of sec. 25. T. 28 N. R. 10 E.

40.00 set gr. sec. post, from which  
an Ash 12 in. dia. brs. S 17 E. 13 Ch. dist.  
a Hickory " " " N 4 E. 20 " "

80.00 set post, cor. to sec. 24 & 25, fr.  
an Ash 18 in. dia. brs. N 74 W. 15 Ch. dist.  
a Beech " " " N 50 E. 15 " dist.  
Land the same.

North Between N. 10 & 11, E. side sec. 24,  
T. 28 N. Range 10 East.

40.00 set gr. sec. post, from which  
a Hickory 15 in. dia. brs. S 35 W. 27 Ch. dist.  
a Poplar 12 " " " N 9 E. 18 Ch. dist.  
Surveyed in 1820 by John M. Donald.  
Continued by C. Carter, Sep. 1840.  
Beginning at the gr. sec. post.

50.52 Intersect S. W. Bound. of the Ten  
mile Reserve & set post on line  
a Beech 18 in. dia. brs. N 79 E. 7 Ch. dist.  
a Hickory 18 " " " N 6 W. 51 " "

80.00 set post, cor. to sec. 13 & 24, fr. wh.  
an Ash 14 in. dia. brs. N 40 W. 29 Ch. dist.  
a Hickory 18 " " " N 35 E. 33 " "  
Land, level & wet. Tim. Oak,  
Cedar, Sycamore, Beech, Poplar,  
Cottonwood &c. Spice P. Ash &c.

North Cen. E. side of sec. 13 T. 28 N. R. 10 E.

14.45 a Bl. Oak 4 in. dia.

34.42 a Sugar 18 " "

40.00 set gr. sec. post, from which  
a Beech 18 in. dia. brs. S 84 W. 28 Ch. dist.  
a D. 20 " " " S 79 E. 10 " "

58.70 a Poplar 14 in. dia.

80.00 set post, cor. to sec. 12 & 13, fr. wh.

T. 28 N. R. 11 E. 2<sup>nd</sup> Mer. Ind. a

Ch. 110

80.00 Set post cor. to sec. 12 & 13, fr. wh.  
a No. Oak 12 in. dia. (bs. S38 E. 14 lb. dist.)  
a Lym 10 " " " S42 W. 12 " "  
Land, level & 2<sup>nd</sup> rate. Limb.  
Oak, Hickory, Elm, Ash, Sugar,  
Poplar, Lym, &c. Spice &  
Birch, Ash &c.

North An Co. side of sec. 12, T. 28 N. R. 10 E.

16.89 a Beech 36 in. dia.

27.45 a Do. 20 " "

40.00 Set gr. sec. post, from which  
a Beech 20 in. dia. (bs. N65 W. 19 lb. dist.)  
a Do. 18 " " " N89 E. 59 " dist.

57.45 a Buckeye 10 in. dia.

72.50 a stream 10 ft. wide crs. N.

80.00 Set post, cor. to sec. 1 & 12, fr. wh.  
an Elm 20 in. dia. (bs. N4 E. 17 lb. dist.)  
a Beech 18 " " " S59 E. 22 " "  
Land, South half level. North,  
half rolling 2<sup>nd</sup> rate. Limb.  
Beech, Hickory, Elm, Ash, &  
Sugar Poplar Buckeye & Lym &c.  
& Spice &c. Nov. 14<sup>th</sup> 1839.

North An Co. side of sec. 1, T. 28 N. R. 10 E.

18.49 a Hickory 15 in. dia.

40.00 Set gr. sec. post, from which  
a Beech 18 in. dia. (bs. N31 E. 15 lb. dist.)  
a Buckeye 16 " " " N44 W. 22 " "

61.84 an Ash 16 " "

73.50 Intersect line of T. 28 & 29 North,  
Ranges 10 & 11 E, set post, fr. wh.  
a Beech 14 in. dia. (bs. N21 E. 18 lb. dist.)  
a Do. 16 " " " N50 W. 32 " "  
One old bearing gone



My 28<sup>th</sup> N. R. 11 E. 2<sup>nd</sup> Mer. Ind <sup>u</sup>

Ch. M. Land, rolling 2<sup>nd</sup> rate. Lin.  
Beech, Oak, Ash, Elm, Sugar,  
Poplar Hickory Gum &c. <sup>var.</sup>  
W. Gth. Spice &c. W. 5<sup>+</sup> 15<sup>+</sup> E.  
Surveyed in 1889, By  
C. Carter, Dep. Sur.

### Subdivisions.

Var. <sup>u</sup>

North Between Sec. 32 & 33.

19.01 an Elm 21 in. diam.

32.23 a Beech 23 " "

40.00 Tot gr. sec. post, from which  
a S. Ash 10 in. dia. bears S 20 E. 21 lbs.  
a Bl. Ash 17 " " " N 41 W. 41 "

57.66 Intersect Ten mile Res. & set post  
Cor. to sec. 32 & 33, Sec. which  
a Gum 24 in. dia. brs. S 8 W. 50 lbs. 11.  
a Gum 24 " " " North 3 " "  
Land, <sup>u</sup> <sup>u</sup> <sup>u</sup>

North Between sec. 31 & 32.

12.58 a Sycamore 15 in. dia.

33.87 an Elm 18 in. dia.

40.00 Tot gr. sec. post, from which  
a Beech 13 in. dia. brs. S 31 W. 26 lbs. dist. &  
a Do. 7 " " " N 6 W. 43 " "

62.87 a Sugar 14 in. dia.

80.00 Tot post Cor. to sec. 29, 30, 31 & 32,  
an S. Ash 30 in. dia. brs. S 13 W. 7 lbs. &  
an Elm 3 in. dia. brs. N 1.30 W. 45 " dist.  
Land, level 2<sup>nd</sup> rate. Lin. & S.  
Ash, Elm, Oak, & Beech, <sup>u</sup>  
Wend. Gth. hard Ash & Spice.

East Between sec. 29 & 32.



S. 28 N. 86. 11 E. 2<sup>nd</sup> Mer. Ind. a  
Ch. 9th

39.23 a Chickory 12 in. dia.  
40.00 set gr. sec. post, from which  
a Beech 9 in. dia. bears S 76 W. 9 lb. dt.  
a Do. 12 " " " S 86 E. 30 " "  
52.00 Intersect Ten mile Res. &  
set post, cor. to sec. 29 & 32, fr. wh.  
a B. Oak 36 in. dia. bears S 63 E. 12 lb.  
a Lym 6 " " " S 80 E. 17 " dt.  
Land,       

West On Line bet<sup>wn</sup> sec. 30 & 31.

12.27 a Bl. Ash 18 in. dia.  
27.12 a Bl. Ash 15 " "  
40.00 set gr. sec. post, from which  
a Chickory 15 in. dia. bears N 40 E. 5 lb. dt.  
a Bl. Ash 10 " " " N 50 W. 9 " dt.  
63.76 a Cotton wood 36 in. dia.  
72.00 Intersect Township line 235 lb. N.  
of post & set post cor. to Sec. 30  
and 31, fr. wh.  
a W. Oak 6 in. dia. bears E 27 lb. dt.  
a Sycamore 8 in. " " West 11 " dt.  
Land, not noted — —

North Between Sec. 29 & 30.

23.00 an Elm 24 in. dia.  
40.00 set gr. sec. post, from which  
a Bl. Ash 8 in. dia. bears S 23 W. 19 lb. dt.  
a Do. 6 " " " N 2 W. 20 " dt.  
50.42 Intersect Ten Mile Reserve  
& set post cor. to sec. 29 & 30, fr. wh.  
a Hawthorn 6 in. dia. bears S 4 E. 22 lb.  
a Chickory 6 in. dia. bears N 22 1/2 W. 20 " dt.  
Land, 2<sup>nd</sup> rate. Lin. Beech,  
Ash, Chickory & Oak. No. fth.  
hewn Ash, Dog & spire &c.

Oct 19. 1823.

T. 28 N. R. 11 E. 2<sup>nd</sup> Mer. Ind. a

Ch. 1<sup>st</sup> W.

North (Between sec. 35 & 36.

6.00 a Hickory 18 in. dia.

36.22 a H. Oak 40 in. dia.

40.00 Set gr. sec. post, from which  
a Beech 18 in. dia. bears S 15 E. 16 lb. dist.  
a S. Ash 24 " " " N 32 W. 37 " "

69.84 Intersected the Ten mile Res. and  
set post, cor. to sec. 35 & 36, fr. wh.  
a Poplar 24 in. dia. bears S 2 E. 26 lb. &  
a Do. 24 " " " N 19 E. 38 " dist.  
Land, 2<sup>nd</sup> rate & level. Live  
Beech, Ash, Oak &c. Mend. growth  
Chowwood & Dogwood &c.  
Surveyed in 1823.

North (Between sec. 35 & 36. (Cortus notes)

10.16 <sup>(Begin at Ind. Res.)</sup> Set post, cor. to sec. 35 & 36. 25 & 26,  
an Ash 18 in. dia bears S 12 E. 8 lb. dist.  
a Beech 20 " " " N 19 E. 42 " "  
Land level and good.

East On Random Bet<sup>th</sup> sec. 25 & 36.

10.57 Intersect S. E. Boundary of Res.

79.25 Intersect Range line 20 lb. N. of post.  
at the place where we supposed it  
to be not having the bearings  
of this cor. Land, wet. 60 lb.  
level and wet. East 20 ch. rolling  
and 2<sup>nd</sup> rate. Beech, Oak, Elm,  
Ash, Hickory Spruce P. Ash &c.

West Corner of line Bet<sup>th</sup> sec. 25 & 36.

17.86 a H. Oak 14 in. dia.

33.04 a H. Oak 28 " "

39.63 Set gr. sec. post, fr. which  
an Elm 20 in. dia. bears S 11 W. 6 lb. dist.

68 *Inf. 28 N. 86. 18 E. 2<sup>nd</sup> Men. Ind. a*  
*Ch. M.*

an Elm 24 in. dia. bears N 86 W. 27 lb. wt.  
68.99 Set post, in S. E. Boundary fr. wh.  
an Elm 24 in. dia. bears S 25 E. 10 lb.  
a Bl. Oak 42 in. " " N 59 E. 19 " dit.  
79.25 See. Cor.

---

North Between Secs. 25 & 26.

18.06 a Beech 24 in. dia.  
30.39 a Do. 16 " "  
40.00 Set gr. sec. post, from which  
a Ash 18 in. dia. bears N 66 E. 9 lb. dit.  
a Do. 15 " " " S 14 E. 10 " "  
58.65 an Ash 30 in. dia.  
72.70 a Hickory 24 " "  
80.00 Set post, cor. to Secs. 23, 24, 25 & 26,  
a Hickory 24 in. dia. bears S 35 E. 37 lb.  
a Do 18 " " " N 62 W. 45 " dit.  
Land, level and wet. Lin.  
Oak, Elm Hickory, Beech, Maple  
Lynx &c. Lin. Spice Hawth.

---

East Over Meadown Bet<sup>n</sup> Secs. 24 & 25.

79.82 Intersct E. Bdy. 155 lb. N. of post.  
Land, rolling & 2<sup>nd</sup> rate. Lin.  
Beech, Oak, Sugar, Ash, Elm,  
Hickory, Poplar, Lynx &c.

---

West Corner line Bet<sup>n</sup> Secs. 24 & 25.

16.43 a Bl. Oak 24 in. dia.  
33.08 a Hickory 22 " "  
39.91 Set gr. sec. post, from which  
a Sugar 10 in. dia. bears N 7 E. 5 lb. dit.  
a Do. 8 " " " S 81 E. 10 " "  
56.51 a Wh. Oak 20 in. dia.  
71.24 a Bl. Oak 14 " "  
79.82 See. Cor.

69

J. D. S. N. E. W. E. 2<sup>nd</sup> Mer. Ind. a

on? H?

North Between sec. 13 & 24.

15.79 a Beech 12 in. dia.

29.22 a Do. 15 " "

40.00 Set gr. sec. post, from which  
a Beech 10 in. dia. bears N 40 E, 11 Ch. dist. &  
a Do. 30 " " " S 67 W, 23 " "

51.50 a stream 15 Ch. wide vs. N. W.

54.94 a Hickory 18 in. dia.

69.49 a Wh. Oak 12 " "

80.00 Set post, loc. to sec. 13, 14, 23 & 24

a Beech 18 in. dia. bears N 46 W, 24 Ch. dist.

a Bl. Oak 15 " " " S 84 E, 9 Ch. dist.

Land, rolling 2<sup>nd</sup> rate. Tim.  
Beech, Oak, Sugar, Ash, Elm, &  
Lynx, Hickory &c. Spice &c.

East On Random Bet<sup>n</sup> sec. 13 & 24.

78.96 Intersected E. Bdy. 88 Ch. N. of post.  
Land, rolling & 2<sup>nd</sup> rate. Tim.  
Beech, Oak, Ash, Sugar, Elm,  
Poplar, Hickory, Lynx &c.

West Correct line Bet<sup>n</sup> sec. 13 & 24.

17.36 a Bl. Oak 18 in. dia.

30.61 a Sugar 24 " "

39.48 Set gr. sec. post, from which  
a Hickory 10 in. dia. bears S 57 E, 13 Ch. dist.  
a Bl. Oak 10 " " " N 80 W, 16 " "

49.45 a Beech 24 " "

67.79 a Sugar 18 " "

78.96 Sec. loc. Nov. 8<sup>th</sup> 1839.

North Between sec. 13 & 14.

18.64 a Hickory 24 in. dia.

37.00 an Ash 18 " "

40.00 Set gr. sec. post, from which



S. 28 N. Sec. 11 E. 2<sup>nd</sup> Mer. Ind.  
Ch. M.

- a Hickory 20 in. dia. bears N 21 E. 13 lb.  
a Do. 16 " " " S 9 W. 49 lb. at.  
55.80 a Water Beech 6 in. dia.  
66.65 an Ash 15 in. dia.  
80.00 Set post, cor. to sec. 11, 12, 13 & 14 f. wh.  
a Beech 6 in. dia. bears N 10 E. 26 lb. &  
an Ironwood 12 in. dia. " S 22 W. 21 " at.  
Land, rolling 2<sup>nd</sup> rate. Lin.  
Beech, Sugar, Oak, Ash, Elm,  
Hickory, Poplar, Lyrus &c.

East Cen. W. andom Set<sup>m</sup> sec. 12 & 13.

- 53.00 a stream 30 lb. wide crs. N. W.  
79.38 Intersect Co. line 24 lb. N. of post.  
Land, rolling & good 2<sup>nd</sup> rate.  
Lin. Beech, Sugar, Oak, Ash,  
Hickory, Elm, Lyrus &c. Spice &c.

West Corner line Set<sup>m</sup> sec. 12 & 13.

- 10.79 a Beech 12 in. dia.  
24.53 a Buckeye 12 in. dia.  
39.69 Set gr. sec. post, from which  
an Elm 18 in. dia. bears S 68 E. 51 lb.  
a Beech 24 " " " S 56 W. 52 "  
50.33 a Dogwood 6 in. dia.  
69.18 a Beech 20 in. dia.  
79.38 Sec. cor.

North Between sec. 11 & 12.

- 12.14 an Ash 15 in. diam.  
30.41 a Beech 24 "  
40.00 Set gr. sec. post, from which  
a Beech 14 in. dia. bears N 49 W. 25 lb.  
a Do. 28 " " " S 59 W. 31 " at.  
50.97 an Ash 24 " "  
61.00 a stream 30 lb. wide crs. N. W.



S 28.8. Sec. 11 E. 2<sup>nd</sup> Mer. Ind. a  
Ch. Mo.

66.24 a Wh. Oak 24 in. dia.  
80.00 Set post, cor. to sec. 1, 2, 11, & 12,  
a Beech 24 in. dia. brs. N 61 E 36 lb.  
a Bl. Oak 18 " " " S 11 W 14 lb.  
Land, rolling & good 2<sup>nd</sup> rate  
Lin. Beech, Oak, Sugar, Ash,  
Elm, Hickory, Lym & Buckeye.  
H. Spice) &c.

East On Mandan Bet<sup>h</sup> Sec. 1 & 12.  
78.50 Intersect at post, the E. Bdy.  
Land, level & 2<sup>nd</sup> rate. Lin.  
Beech, Oak, Ash, Elm, Sugar,  
Hickory Lym Maple &c. H. J.  
Spice, Hawn &c.

West Correct line Bet<sup>h</sup> Sec. 1 & 12.  
13.57 a Buckeye 12 in. dia.  
26.79 a Wh. Oak 20 " "  
39.25 Set gr. sec. post, from which  
a Hickory 10 in. diam. for post  
an Ash 16 in. dia. bears S 81 W 16 lb.  
49.14 a Wh. Oak 28 in. dia.  
69.54 a Wh. Oak 24 " "  
78.50 Sec. cor.

North Between Sec. 1 & 2.  
15.28 a Wh. Oak 24 in. dia.  
33.50 an Ash 18 in. dia.  
40.00 Set gr. sec. post, from which  
an Ash 24 in. dia. bears S 69 W 26 lb. & H.  
a Hickory 20 " " " N 28 W 15 " "  
49.16 a Beech 10 " "  
66.44 an Ash 12 " "  
78.04 Intersect Township line 92 N. E.  
of post & set post Cor. to sec. 1 & 2.

T. 28 N. R. 11 E. 2<sup>nd</sup> Mer. Ind. a  
Ch. 4th

a Beech 14 in. dia. bears 160 E. 16 lb. &  
an Elm 18 " " " SW. 45 " dt.  
Land, south  $\frac{1}{2}$  rolling 2<sup>nd</sup> rate.  
North  $\frac{1}{2}$  level & wet. Fir, Oak,  
Beech, Hickory, Elm, Ash, Sugar,  
Lynx, Maple &c. W. 5th. Spice  
P. Ash. & Glaw &c.  
Nov. 19<sup>th</sup> 1839.

North Between sec. 34 & 35.

14.02 a H. Oak 20 in. dia.  
28.77 an Ash 36 in. dia.  
40.00 Set gr. sec. post. from which  
an Ash 15 in. dia. bears 151 E. 5 lb. dt.  
a Do. 16 " " " N 25 W. 20 " "  
51.46 an Elm 28 " "  
69.00 a Beech 10 " "  
80.00 Set post cor. to sec. 26, 27, 34 & 35, from h.  
a Beech 18 in. dia. for post. fr. wh.  
a Do. 20 " " bears 13 E. 27 lb.  
Land, level dry & 2<sup>nd</sup> rate.  
Fir, Beech, Oak, Ash, Elm,  
Hickory, Sugar, Lynx &c. W. 5th.  
Spice, Glaw P. Ash. &c.

East. Cen. Random Bet<sup>n</sup> sec. 26 & 35.

79.38 Intersect E. line 42 lb. N. of post.  
Land, level dry 2<sup>nd</sup> rate. Fir,  
Beech, Oak, Ash, Elm, Hickory,  
Poplar, Sugar, Lynx &c.  
W. 5th. Spice, Glaw, P. Ash &c.

West Correct line Bet<sup>n</sup> sec. 26 & 35.

14.50 a Hickory 18 in. dia.  
30.02 a Maple 36 " "  
39.69 Set gr. sec. post. from which

S. 28 N. R. N E. 2<sup>nd</sup> Mer. Ind. a  
 ch. Wt.

a Lym 10 in. dia. bears N 47 E. 10 lb. dist.  
 an Elm 18 " " " 150 W. 14 " "  
 50.85 a Lym 36 in. dia.  
 66.77 a Beech 16 in. "  
 72.38 Sec. loc.

North Between sec. 26 & 27.

14.41 a Beech 20 in. dia.  
 29.96 a W. Oak 12 " "  
 40.00 Set gr. sec. post, from which  
 a Beech 20 in. dia. bears S 63 E. 14 lb. dist.  
 a Lym 8 " " " N 19 W. 12 " "  
 57.77 a Hickory 20 in. dia.  
 66.39 a Red Oak 12 in. dia.  
 80.00 Set post, loc. to sec. 22, 23, 26 & 27,  
 an Ash 18 in. dia. bears S 28 E. 18 lb. dist.  
 a W. Oak 18 in. " " N 87 W. 14 " "  
 Land, Level & wet. Linn. Beech,  
 Ash, Oak, Elm Hickory Lym  
 Maple &c. No. 5th. Spice &  
 Elm &c.

East On Handover Bet<sup>h</sup> sec. 23 & 26.

79.18 Intersect E. Bdy. 22 lb. N. of post.  
 Land, level & wet. Linn. Oak,  
 Elm Ash Beech, Hickory, Lym  
 Maple &c.

West Corsect line Bet<sup>h</sup> sec. 23 & 26.

14.29 a Hickory 24 in. dia.  
 32.91 a Beech 15 in. dia.  
 39.59 Set gr. sec. post, from which  
 an Ash 22 in. dia. bears N 78 W. 27 lb. dist.  
 a W. Oak 24 " " " S 27 W. 11 " dist.  
 51.25 a Lym 24 " "  
 68.68 a Maple 6 " "

S.D.S. Sec. 11 E. 2<sup>nd</sup> Mer. Ind.

79.18 Sec. corner.

North Between sections 22 &amp; 23.

10.69 a Lyrus 14 in. diam.

32.90 a Beech 20 " "

40.00 an Elm 40 " " is of Sec. cor.

50.45 a Beech 24 " "

68.72 a Maple 14 " "

80.00 Set post cor. to sect. 13, 14, 23 & 24, from which  
 a W. Oak 36 in. dia. bears N 31 E, 27 lb. dist.  
 a Sugar 15 " " S 74 W, 28 " "  
 Land, level & wet. Lim. Oak, -  
 Beech, Elm, Ash, Hickory, Maple  
 Sycamore, Lyrus &c. No. of Spice  
 Hawth &c.

East On Meadown Btwn Sect. 14 &amp; 23.

79.34 Intersect E. line 12 lb. S. of post.

Land, level and dry 2<sup>nd</sup> rate.

Lim. Beech, Oak, Ash, Elm, &amp;

Sugar, Hickory &amp; Lyrus &amp;c.

Ven. yth. Spice Hawth &amp;c.

West Correct line Btwn Sect. 14 &amp; 23.

10.30 a Beech 20 in. dia.

27.84 a B. Oak 12 " "

39.67 Set gr. sec. post, from which  
 a W. Oak 22 in. dia. bears N 26 E, 11 lb.  
 an Elm 14 in. dia. bears S 15 E, 41 lb.

51.74 an Ash 36 " "

66.20 a Beech 30 " "

79.34 Sec. cor. Nov. 23<sup>d</sup> 1839.

North Between Sect. 14 &amp; 15.

15.11 a Beech 10 in. dia.

26.10 an Ash 36 " "



75

Imp J. 28 N. R. 11 E. 2<sup>nd</sup> New End<sup>u</sup>

Ch. W.

- 40.00 set gr. sec. post, from which  
an Ash 16 in. dia. bears N 54 E. 10 lb. dist. &  
an Ash 14 " " " N 28 W. 11 " "
- 48.96 a Wh. Oak 12 in. dia.
- 70.66 a Do. 18 " "
- 80.00 set post, loc. to sec. 10, 11, 14 & 15, fr. wh.  
a Sugar 12 in. dia. bears N 64 E. 29 lb. dist.  
a Beech 16 " " " N 71 W. 25 " "  
Land, rolling and 2<sup>nd</sup> rate. Lim.  
Beech, Oak, Ash, Sugar, Elm &  
Chickory & Lymn &c. Spice &c.

---

East on Wandom Bet<sup>wn</sup> sec. 11 & 14,  
79.36 Intersect E. line 32 lb. S. of post  
Land, rolling 2<sup>nd</sup> rate. Lim. Beech,  
Oak, Ash, Elm, Sugar, Chickory &  
Lymn &c. Spice &c.

- 
- West Corneret line Bet<sup>wn</sup> sec. 11 & 14.  
12.77 a Chickory 14 in. dia.  
31.58 a Beech 16 " "  
40.00 set gr. sec. post, from which  
a Sugar 18 in. dia. bears N 77 E. 18 lb. &  
a Do. 12 " " " N 72 W. 25 " dist.  
52.27 a Beech 14 in. dia.  
66.79 a Beech 10 " "  
79.36 sec. loc.

- 
- North Between sec. 10 & 11.  
13.06 a Beech 24 in. dia.  
27.25 an Ash 36 " "  
40.00 set gr. sec. post, from which  
a Beech 18 in. dia. bears N 50 W. 23 lb.  
an Ash 10 in. " " " N 13 E. 16 "  
51.55 a Beech 16 " dia.  
70.72 a Buckeye 10 in. dia.



76 of T. 28. 8. R. 11 E. 2<sup>nd</sup> Mer. Ind. a

Ch. Mo.

80.00 Set post. cor. to Sec. 2, 3, 10 & 11, fr. wh.  
a Sugar 36 in. dia. bears S 37<sup>th</sup> W. 30 lb. dist.  
an Elm 18 " " " S 41<sup>th</sup> E. 31 " "  
Land, rolling good 2<sup>nd</sup> rate.  
Linn, Beech, Oak, Sugar Ash, Elm,  
Chickory, Lypur & spice &c.

East On Maudslop Bet<sup>th</sup> sec. 2 & 11.

44.00 a stream 35 lb. wide cor. N. W.  
79.72 Intersect Co. line 18 lb. N. of post.  
Land, rolling good Linn, Beech  
Oak, Sugar, Ash, Chickory &c.  
Poplar, Lypur &c. Spice &c.

West Corneret line Bet<sup>th</sup> sec. 2 & 11.

11.02 a Chickory 24 in. diam.  
30.67 a Beech 28 " "  
39.86 Set gr. sec. post. from which  
a Beech 14 in. dia. bears N 15<sup>th</sup> E. 38 lb.  
a Sugar 16 " " " N 65<sup>th</sup> W. 28 "  
52.27 a Do. 20 " "  
67.41 a Do. 18 " "  
79.72 Sec. cor.

North Between sec. 2 & 3,

11.88 an Ash 40 in. dia.  
23.50 a stream 35 lb. wide cor. N. W.  
27.29 a Buckeye 24 in. dia.  
40.00 Set gr. sec. post. from which  
a Sugar 15 in. dia. bears N 10<sup>th</sup> E. 8 lb.  
a Beech 16 " " " S 20<sup>th</sup> E. 22 "  
55.18 a Do. 10 " "  
69.75 a Wh. Oak 30 in. dia.  
78.44 Intersect Township line 83 lb.  
East of post. & set post. cor. to  
Sec. 2 & 3, from which

S. 28 N. Sec. 11 E. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>  
 Ch. No.

a W. Oak 28 in. dia. bears S 33 W. 18<sup>th</sup>.  
 a Wh. Oak 36 " " " S 45 E. 54 "  
 Land, rolling & rich. Lin. Beech,  
 Oak, sugar, Ash, Elm, Hickory  
 Poplar Lynn, Spice &c.  
 Nov. 21<sup>st</sup> 1839.

North Between Sec. 33 & 34.

14.21 a Sycamore 18 in. dia.  
 31.92 an Elm 12 in. dia.  
 40.00 Set cr. sec. post. from which  
 a Hickory 18 in. dia. br. North 12<sup>th</sup>.  
 a Do. 14 " " " South 6 " dt.  
 52.00 a Beech 18 " "  
 66.24 a Lynn 14 " "  
 80.00 Set post. cor. to sec. 27, 28, 33 & 34.  
 a Lynn 14 in. dia. bears S 7 E. 14<sup>th</sup>.  
 & a Beech 20 " " " N 14 E. 18 " dt.  
 Land level & wet. Lin. Oak,  
 Elm, Ash, Beech, Hickory, Lynn,  
 Sycamore Maple &c. W. 7<sup>th</sup> of  
 P. Ash, Spice &c.

East On Random Bet<sup>th</sup> sec. 27 & 34.

80.16 Intersect E. line 106<sup>th</sup>. N. of post.  
 Land, level and dry 2<sup>nd</sup> rate.  
 Lin. Beech, Oak, Ash, Elm,  
 Poplar Hickory Sugar Lynn &c.  
 W. 8<sup>th</sup> of Spice P. Ash &c.

West Corner line Bet<sup>th</sup> sec. 27 & 34.

11.97 a Cottonwood 36 in. dia.  
 29.76 a Poplar 14 in. dia.  
 40.08 Set cr. sec. post. from which  
 a Beech 20 in. dia. bears N 84 E. 21<sup>th</sup>.  
 a Wh. Oak 18 " " " S 8 E. 5 " dt.

S 28 N. Sec. 11 E. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>  
 ch. Mo.

49.67 a Beech 15 in. dia.

67.24 a Do. 28 " "

80.16 sec. loc.

North Between sec. 27 & 28.

11.88 a Beech 20 in. dia.

28.39 an Elm 12 " "

40.00 tot gr. sec. post. from which  
 a Beech 24 in. dia. bears S 66 E. 24 lb. &  
 a Do. 20 " " " N 73 W. 12 " dist.

49.87 a Poplar 4 " "

66.05 an Elm 22 " "

80.00 Set post, loc. to sec. 21, 22, 27 & 28.  
 an Elm 24 in. dia. bears S 62 E. 32 lbs. dist.  
 an Ash 20 " " " S 45 W. 22 " "  
 Land, level & wet Tim. Oak,  
 Elm, Ash Maple Hickory, Lym  
 &c. Spice, Hawth &c.

East On Maudsley Bet<sup>m</sup> sec. 22 & 27

80.50 intersected E. line 86 lb. N. of post.

Land, level & wet. Tim. Beech,  
 Oak, Ash, Elm, Hickory, Lym  
 &c. f. Spice Hawth &c.

West Correct line between sec. 22 & 27.

10.05 an Elm 20 in. dia.

26.06 a Hickory 24 " "

40.25 tot gr. sec. post. from which  
 an Elm 15 in. dia. bears S 78 E. 10 lb. dist.  
 a Do. 36 " " " N 82 W. 28 " "

48.94 a Beech 16 in. dia.

72.54 a Lym 18 " "

80.50 sec. loc.

North Between sec. 21 & 22.

S. 28 N. 16. 11 E. 2<sup>nd</sup> Mer. Ind. a

Ch. M.

- 10.66 a Hickory 22 in. dia.  
 27.84 a Burr Oak 20 in. "  
 40.00 Set gr. sec. post. from which  
 a B. Oak 36 in. dia. bears N 24 E. 42 lb.  
 an Elm 18 " " " S 32 E. 29 lb. dist.  
 50.37 a B. Oak 36 in. dia.  
 65.83 a Beech 18 " "  
 80.00 Set post. cor. to sec. 15, 16, 21 & 22, from  
 a Beech 24 in. dia. bears S 6 E. 21 lb. dist.  
 a Do. 15 " " " S 79 W. 21 " "  
 Land, level and wet Tim. -  
 Oak, Ash, Elm, Hickory, Beech,  
 Sugar, Lyrn & Spice Hawth.

East on Reardon Bt<sup>h</sup> sec. 15 & 22.  
 79.34 Intersected E. line 44 lb. N. of post.  
 Land, level dry & 2<sup>nd</sup> gate Tim.  
 Beech, Oak, Ash, Lyrn, Elm,  
 Hickory, Spice, Hawth &c.

- West correct line Bt<sup>h</sup> sec. 15 & 22.  
 13.42 a Wh. Oak 36 in. dia.  
 28.57 a Beech 20 " "  
 39.67 Set gr. sec. post. from which  
 a Beech 10 in. dia. bears N 41 E. 21 lb. &  
 a Wh. Oak 36 " " " S 4 E. 12 " dist.  
 52.00 a Hickory 24 in. dia.  
 71.35 a Beech 18 " "  
 79.34 Sec. cor. Nov. 22<sup>nd</sup> 1839.

North Between sec. 15 & 16.

- 15.88 an Elm 24 in. dia.  
 28.07 a Beech 28 " "  
 40.00 Set gr. sec. post. from which  
 an Ash 18 in. dia. bears South, 3 lb. dist.  
 a Maple 10 " " " N 10 E. 46 " "



T. 28 N. R. 11 E. Mer. 2<sup>nd</sup> Ind. a

Cor. M.P.

- 51.28 an Ash 18 in. dia.  
 69.12 a Wh. Oak 40 in. dia.  
 80.00 Set post cor. to sec. 9, 10, 15 & 16, fr. wh.  
 a Hickory 20 in. dia. bears S 88 E. 9 lb. dist.  
 a Br. Oak 10 " " " N 63 W. 11 " "  
 Land, level South half wet. North  
 half dry 2<sup>nd</sup> rate. Tim. Beech, Oak,  
 Ash, Elm, Hickory, Spruce, Maple &c.  
 Spice, Haws &c.

East Cor. Random bet<sup>wn</sup> Sec. 10 & 15.

- 80.60 Intersect E. Bdy. 100 lb. North of post.  
 Land, rolling good 2<sup>nd</sup> rate. Tim.  
 Beech, Oak, Sugar, Ash, Elm, Hickory

West Correct line bet<sup>wn</sup> Sec. 10 & 15.

- 10.84 an Ash 30 in. dia.  
 30.58 a Beech 15 " "  
 40.30 Set gr. Sec. post, from which  
 an Ash 18 in. dia. bears S 88 E. 20 lb. dist.  
 a Sugar 15 " " " S 41 W. 27 " "  
 57.23 a Hickory 18 in. dia.  
 68.13 a Beech 24 " "  
 80.60 Sec. cor.

North Between Sec. 9 &amp; 10.

- 17.57 a Beech 10 in. dia.  
 31.65 a Beech 18 " "  
 40.00 Set gr. Sec. post, from which  
 a Beech 24 in. dia. bears S 62 E. 28 lb. dist.  
 a Do. 10 " " " N 26 E. 26 " "  
 55.13 an Ash 10 " "  
 71.79 a Hickory 24 in. dia.  
 80.00 Set post, cor. to sec. 3, 4, 9 & 10, fr. wh.  
 a Wh. Oak 36 in. dia. bears S 46 E. 11 lb. dist.  
 a Do. 24 " " " N 41 W. 19 " "

S. 28 N. R. 11 E. 2<sup>nd</sup> Mer. Indiana.  
Ch. M.

Land, rolling 2<sup>nd</sup> rate. Tim. Beech,  
Oak, Sugar, Ash, Hickory, Lym &c.  
Wood. gth. Spice &c.

East On Random Bet<sup>h</sup> sec. 3 & 10.  
81.00 Intersect Co. Boundary, 62 lks. N. of post.  
Land, rolling 2<sup>nd</sup> rate. Timber,  
Beech, Oak, Sugar, Ash, Hickory,  
Lym, Spice &c.

West Correct line Bet<sup>h</sup> sec. 3 & 10.  
17.83 a Sugar 14 in. dia.  
32.71 a Wh. Oak 12 " "  
40.50 Set gr. Sec. post. from which  
a Wh. Oak 24 in. dia. (br. N 18 E, 25 lks. &  
a Hickory 14 " " " S 30 W, 14 " ditto.  
50.50 a Beech 22 " "  
68.89 a Beech 14 " "  
81.00 Sec. cor.

North Between sec. 3 & 4.  
12.18 a Red Oak 22 in. dia.  
38.84 a Beech 10 " "  
40.00 Set gr. Sec. post. from which  
a Beech 24 in. dia. (br. N 12 W, 20 lks. &  
a Do. 24 " " " S 18 E 39 " ditto.  
48.00 To Long Lois Creek 40 lks wide on N.W.  
53.29 an Elm 12 in. dia.  
69.35 a Beech 40 " "  
78.50 Intersect Township Line 20 lks. E of  
Post & Set post Cor. of sec. 3 & 4, from  
a Wh. Oak 15 in. dia. (brs S 21 W, 11 lks. ditto.  
a Beech 10 " " " S 26 E, 45 " "  
Land, rolling & good 2<sup>nd</sup> rate.  
Tim. Beech, Sugar, Walnut,  
Oak, Ash, Elm, Hickory & spice &c.

T. 28 N. R. 11 E. 2<sup>nd</sup> Mer. Indiana  
Ch. M.

Measured thence West along the  
Township Line 57.44 to the N. W. Cor.  
of Grant N. 38 To Chapine.  
Nov. 23<sup>d</sup> 1839.

North Between Sec. 32 & 33. (Begin at Res.)  
18.00 an Ash 24 in. dia.  
22.34 Set post cor. to sec. 28, 29, 32 & 33,  
a Hickory 20 in. dia. (bs. S 52 E. 11<sup>th</sup> ft.  
an Elm 22 " " " N 83 W. 58 " "  
Land, level & wet.

East On Handson Bet<sup>h</sup> Sec. 28 & 33.  
79.21 Intersect Co. Rd. 174 lb. N. of post.  
Land, level & wet. Tim. Beech,  
Ash, Oak, Elm, Hickory, Lym &  
Sugar Maple, Sycamore, Poplar  
No. 9th. Spice, Hawth.

West Correct line Bet<sup>h</sup> Sec. 28 & 33.  
14.35 a Beech 16 in. dia.  
27.56 a Water Beech 5 in. dia.  
39.61 Set gr. Sec. post. from which  
a Br. Oak 20 in. dia. (bs. S 80 E. 14<sup>th</sup> ft.  
an Elm 36 " " " N 9 W. 10 " "

52.44 a Beech 12 " "

64.48 a Lym 24 " "

79.21 Sec. cor. ~~~~~ Handson & Correct Bet. 21 & 28.  
See end of Township for Lines, N. Bet. Sec. 28 & 29 &

North Between Sec. 20 & 21.

14.94 a Wh. Oak 18 in. dia.

32.35 an Ash 14 " "

40.00 Set gr. Sec. post. from which  
an Ash 28 in. dia. (bs. S 84 E. 17<sup>th</sup> ft.)  
a Do. 15 " " " S 30 W. 14 " ft.

50.45 a Hickory 24 in. dia.



U.S. N. B. 11 E. 2<sup>nd</sup> Mer. Indiana.  
 Ch. W.

65.23 a Bl. Oak 40 in. dia.

80.00 Set post. from which cor. 16, 17, 20 & 21,  
 a Beech 12 in. dia. bears S 56 E, 16 lks. dist.  
 a Poplar 22 " " " S 74 W, 24 " "  
 Land, level dry 2<sup>nd</sup> rate. Lim.  
 Beech, Oak, Ash Elm, Hickory Sugar  
 Poplar, Walnut &c. Spice &c.

East on Random Bet<sup>n</sup> Sec. 16 & 21.

80.65 Intersect E. Bdy. 200 lks. N. of post.  
 Land, level & dry 2<sup>nd</sup> rate. Lim.  
 Beech, Oak, Ash, Elm, Poplar, &  
 Hickory Sugar, Spruce &c. W. 8th.  
 Spice, Clover.

West correct line Bet<sup>n</sup> Sec. 16 & 21.

9.95 a Beech 20 in. dia.  
 30.50 a Do. 18 " "  
 40.33 Set gr. sec. post. from which  
 a Spruce 24 in. dia. bears N 26 W, 22 lks. dist.  
 a Beech 18 " " " S 9 E, 24 " dist.  
 54.46 an Elm 15 " "  
 67.18 a Beech 28 " "  
 80.65 Sec. cor. Nov. 24<sup>th</sup> 1839.

North Between Sec. 16 & 17.

14.73 a Hickory 24 in. dia.  
 28.97 an Ash 40 " "  
 40.00 Set gr. sec. post. from which  
 an Ash 24 in. dia. bears S 69 W, 2 lks. dist.  
 a Maple 24 " " " N 73 E, 46 " "  
 54.42 a Buckeye 18 in. dia.  
 70.16 a Beech 24 " "  
 80.00 Set post cor. To sec. 8, 9, 16 & 17. from wh.  
 a B? Oak 24 in. dia. bears S 82 W, 12 lks. dist.  
 an Ash 12 " " " N 23 W, 14 " "



S. 28 N. Sec. 11 E. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>  
Ch. W.

Land, level & dry 2<sup>nd</sup> rate. Tim.  
Beech, Oak, Ash, Sugar Elm &  
Hickory &c. Spice & Hawth &c.

East On Random Bet<sup>rs</sup> Sec. 9 & 16.

12.50 a stream 15 ft. wide est. N.

80.00 Intersect E. boundary, 184 ft. N. of post.  
Land, rolling & good 2<sup>nd</sup> rate.  
Tim. Beech, Oak, Sugar, Ash,  
Elm, Hickory & Lyrus. Spice, Hawth

West correct line Bet<sup>rs</sup> 9 & 16.

9.85 a Beech 14 in. dia.

28.48 a Beech 20 " "

40.00 Set gr. sec. post, from which  
a Beech 24 in. dia. bears N 45 E. 25 ft. dist.  
a Buckeye 12 " " " N 62 W. 31 " "

50.32 a Beech 14 " "

66.46 an Ash 18 " "

80.00 Sec. cor.

North Between Sec. 8 & 9.

16.22 a Beech 18 in. dia.

29.13 an Ironwood 4 in. dia.

40.00 Set gr. sec. post, from which  
a Beech 24 in. dia. bears N 45 E. 33 ft. dist.  
a Do. 20 " " " N 59 W. 32 " dist.

41.00 Road from Ft. Wayne to Indianapolis

50.42 a Beech 18 in. dia.

68.27 a Do. 18 " " at 72.50 a th. 20 ft. cor. W.

80.00 Set post, cor. to Sec. 4, 5, 8 & 9, from wh.  
a No. Oak 15 in. dia. bears N 47 E. 50 ft. dist.  
a Wh. Oak 18 " " " N 89 W. 50 " dist.  
Land, rolling & 2<sup>nd</sup> rate. Tim.  
Beech, Oak, Ash, Sugar, Elm,  
Poplar, Hickory & Spice &c.

of J. D. R. Sec. 11 E. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>  
 Ch. 1839

East on Random Bet<sup>n</sup> Sec. 4 & 9.

25.50 To Ft. Wayne & Indianapolis Road.

80.28 Intersected E. Bdy. 155 lks. N. of foot.  
 Land, rolling 2<sup>nd</sup> rate. Tim.  
 Beech, Oak, Ash, Elm, Sugar,  
 Walnut Lynn, Hickory Poplar &  
 Hard. yth. Spruce &c.

West correct line Bet<sup>n</sup> Sec. 4 & 9.

14.90 a Lynn 18 in. dia.

32.05 a Do. 14 " "

40.14 Set gr. Sec. foot, from which  
 an Ash 14 in. dia. bears N 6 E. 4 lks. dist.  
 a Wh. Oak 18 " " " S 18 W. 30 " "

50.51 a Do. 24 " "

68.06 a Walnut 20 in. "

80.28 Sec. Cor.

North Between Sec. 4 & 5.

11.06 a Wh. Oak 20 in. dia.

12.00 a Stream 50 lks. wide es. W.

16.00 A South Line of Grant No. 38 to  
 Chapine & set foot, from which  
 a Lynn 28 in. dia. bears N 75 W. 38 lks.  
 a Hickory 15 " " " S 80 E. 23 lks. dist.  
 Measured East along South Bdy.  
 of S. Grant 22.56 to the S. E. cor.  
 Nov. 26<sup>th</sup> 1839.

West Between Sec. 29 & 32.

21.40 Intersect S. W. Boundary & set  
 foot in S. boundary. from which  
 a Dogwood 6 in. dia. brs. N 52 E. 7 lks. dist.  
 an Ironwood 10 " " " S 57 W. 25 " "  
 Measured along S. boundary N 44 W.  
 6.20 to the old intersection of said

86. S 28 N. R. 11 E. 2<sup>nd</sup> Mer. Ind. a  
Ch. M.

section line from the West.

---

North Between Sect. 29 & 30.

Believing the measure on this line  
south of the Boundary to be erroneous  
I measured from the Cor. of Sect.  
29, 30, 31 & 32, North to the S.W. Bdy.  
55.71, Thence North.

12.40 an Elm 36 in. dia.

24.71 Set post cor. to Sect. 19, 20, 29 & 30,  
a Beech 20 in. dia. bears N 18 E, 46 Ch.  
a Do. 18 " " " S 73 W, 35 Ch. dt.  
Land, level dry & good.

---

East On Random Bet<sup>wn</sup> Sect. 20 & 29.

81.13 Intersect E. line 4.25 Ch. N. of post.  
Land, W. half level dry and  
2<sup>nd</sup> rate. East half wet. Tim.  
Beech, Oak, Ash, Elm, Sugar,  
Whitney Spruce Maple Sycamore  
&c.

---

West Correct line Bet<sup>wn</sup> Sect. 20 & 29.

29.85 a Wh. Oak 40 in. dia.

40.56 Set gr. sec. post. from which  
an Ash 18 in. dia. bears N 27 E. 26 Ch.  
a Beech 24 " " " S 16 W, 21 " dt.

51.62 an Ash 15 " "

64.98 a Beech 18 in. dia.

81.13 Sec. Cor.

---

West On Random Bet<sup>wn</sup> Sect. 19 & 30.

20.50 Road from H. Wayne to Indianapolis

71.86 Intersect Range line 188 Ch. N. of post.

Land, level dry & good. Tim.  
Beech, Oak, Ash, Sugar Spruce,  
Whitney Elm &c. Spruce & Elm.

87

S. 28 N. E. 11 E. 2<sup>nd</sup> Mer. Ind. a

Ch. 1<sup>st</sup>

- East Correct line Bet<sup>n</sup> Sect. 19 & 20.  
16.47 a Maple 20 in. dia.  
31.86 Set gr. sec. post, from which  
an Ash 12 in. dia. bears N 46 E, 15 lb. &  
an Elm 24 " " " S 65 E, 21 " att.  
48.95 Set post, in S.W. Boundary. from wh.  
an Elm 24 in. dia. bears S 83 W, 21 lb. &  
a Re. Oak 36 in. " " S 86 E, 33 " att.  
60.56 a Poplar 41 in. dia.  
71.86 see loc.
- 

North Between Sect. 19 & 20.

- 12.12 an Elm 10 in. dia.  
30.50 a Buckeye 12 in. dia.  
40.00 Set gr. sec. post, from which  
an Ash 14 in. dia. bears N 61 W, 23 lb.  
& a Do. 8 " " " S 34 W, 2 lb. att.  
55.15 a Poplar 12 in. dia.  
59.01 Road from Ft. Wayne to Indianapolis  
68.85 an Ash 36 in. dia.  
80.00 Set post, loc. to sect. 17, 18, 19 & 20,  
a Hickory 14 in. dia. bears N 66 W, 10 lb.  
an Ash 12 " " " S 39 E, 29 "  
Land, level dig & 2<sup>nd</sup> rate. Lim.  
Beech, Oak, Sugar, Ash, Poplar,  
Walnut Hickory &c. Spice &c.
- 

East On Meander Bet<sup>n</sup> Sect. 17 & 20.

- 80.71 Intersect E. boundary. 486 lb. N. of Post.  
Land, <sup>level</sup> and dig good & 2<sup>nd</sup> rate.  
Lim. Beech, Oak, Ash, Sugar  
Elm, Poplar, Walnut, Hickory &  
Spice Hawth &c.
- 

West Correct line Bet<sup>n</sup> Sect. 17 & 20.

- 12.41 a Sugar 12 in. dia.



S. D. N. S. E. 2<sup>nd</sup> Mer. Ind.?

Ch. W.

- 28.46 a Spruce 18 in. dia.  
 40.36 Tot gr. sec. part, from which  
 a Hickory 14 in. dia. bears East, 18 lb.  
 a Spruce 15 in. dia. "N 79 W. 34"  
 54.80 a Beech 14 " "  
 68.46 an Ash 15 " "  
 80.71 Sec. loc.

West All Mandom Bet<sup>h</sup> sec. 18 & 19.  
 71.47 Intersect W. Bdy. 124 lb. N. of foot.  
 Land, slightly rolling good—  
 Spruce, Beech, Sugar, Ash, Poplar  
 Walnut, Hickory, Spruce & Spice.

East Correct line Bet<sup>h</sup> sec. 18 & 19.  
 20.91 a Beech 18 in. dia.  
 31.47 Tot gr. sec. part, from which  
 a Beech 24 in. dia. bears N 78 E. 28 lb.  
 a Do. 14 " " " S 88 E. 42 "  
 41.39 a Bl. Oak 30 in. dia.  
 59.78 a Wh. Oak 40 " "  
 71.47 sec. loc. Nov. 27<sup>th</sup> 1839.

North Between Sec. 17 & 18.  
 14.46 a Beech 24 in. dia.  
 26.11 a Do. 20 " "  
 40.00 Tot gr. sec. part, from which  
 a Beech 14 in. dia. bears N 41 E. 40 lb.  
 a Do. 28 " " " S 74 W. 28 "  
 41.00 a Stream 10 lb. wide cis. N. E.  
 56.47 a Spruce 36 in. dia.  
 67.50 an Ash 24 " "  
 80.00 Tot part, loc. to sec. 7, 8, 17 & 18—  
 a Sugar 18 in. dia. bears N 24 E. 26 lb.  
 a Bl. Oak 36 " " " S 40 W. 24 "  
 Land, rolling good & 2<sup>nd</sup> rate

T. 28 N. R. 11 E. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

Ch. W.

Tim. Beech, Sugar, Ash, Oak, Elm,  
Hackberry, Lyrum, Poplar & spire

East Cor. Handson Bet<sup>h</sup> Sec. 8 & 17.

80.67 Intersect E. Bdy. 444 lks. N. of Post.  
Land, level and wet. Timber  
Ash, Elm, Oak, Beech, Hackberry  
Poplar, Lyrum, Sycamore &  
Maple & Spire &c.

West Cor. Handson Bet<sup>h</sup> Sec. 8 & 17.

10.44 a Beech 36 in. dia.

23.01 Road fr. Ft. Wayne to Indianapolis

29.86 a Beech 18 in. dia.

40.34 Set gr. sec. post, from which  
a Beech 18 in. dia. bears N 26 E. 30 lks.  
an Elm 6 " " for Post.

44.00 a stream 15 lks. wide crs. N. E.

55.70 a Beech 24 in. dia.

68.07 an Elm 6 in. dia.

80.67 Sec. cor.

West Cor. Handson Bet<sup>h</sup> Sec. 18 & 19.

70.95 Intersect Range line 44 lks. N. of  
Post. Land, level and wet.

Tim. Beech, Oak, Ash, Elm,

Sugar, Poplar Lyrum, Spire  
& Sycamore &c.

East Cor. Handson Bet<sup>h</sup> Sec. 7 & 18.

a Red Oak 14 in. dia. brs. N 38 E. 37 lks.

a Beech 16 " " " S 66 E. 44 "

17.40 a Do. 18 " "

30.45 Set gr. sec. post, from which  
a Beech 28 in. dia. brs. S 5 E. 11 lks.

a Do. 20 " " " N 84 W. 21 "

90 L. 28 N. H. 11 E. 2<sup>nd</sup> Mer. Ind. a

Ch. V.

40.21 a Sycamore 24 in. dia.

56. 83 a Beech 14 " "

70.95 Sec. Loc.

North Between Sec. 7 & 8.

11. 53 a Beech 16 in. dia.

25.79 a Do. 30 "

40.00 Set gr. Sec. post, from which  
a Beech 14 in. dia. br. No 14, 26 lb. dia.  
a do. 20 " " " No 18, 25 " "

47.00 a Stream 20 ft. wide c. N.W.

55, 03 a Bl. Oak 40 in. dia.

70.51 an Ebu 24 " "

80.00 Set post. Cor. to Sect. 5, 6, 7 & 8. fr. wh.  
a Lym 14 in. dia. bus. M & E. 25 lb.  
a Beech 15 " " " Sy 1 M. 26 " Mt.  
Land, rolling & 2<sup>nd</sup> rate, Lin.  
Beech, Oak, Sugar Ash, Elm,  
Walnut Poplar Hickory & Spice

East on Handson Bet<sup>h</sup> Dec. 578.

81.17 Interset E. Bdy. 455 lb. N. of post.  
Land, rolling good 2<sup>nd</sup> rate. —  
Timb. Beech, Oak, Ash, Elm,  
Poplar, Hickory, Sugar, Spruce &c.

West correct line But<sup>n</sup> sec. 5 & 8.

10.89 a Syon 12 in. dia.

18.50 a Stream 25 ft. wide cts. N.W.

32.21 a Sept 16 in dia:

40. 59 Set gr. Sec. post. from which  
a Lym 14 in. dia. bears Sec E. 13 W.  
a Buckeye 15 " " " N 84 W. 24 " etc.

59.68 a Beech 28 " "

81.19 sec. con.

Nov. 28<sup>th</sup> 1839.

S. 28 N. R. 11 E. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

Ch. 100

West on Random Bet<sup>n</sup> sec. 6 & 7.  
70.90 Intersected W. line 72 Ch. N. of post.  
Land, rolling & good. Tim. Beech,  
Oak, Ash, Elm, Sugar, Poplar,  
Hickory Walnut & Lym<sup>re</sup> &c. Wood.  
Jth. of Spice Tree &c.

East correct line Bet<sup>n</sup> sec. 6 & 7.  
Bearing on W. Boundary.  
a Sugar 24 in. dia. bears S 79 E. 48 Ch.  
a Wh. Oak 20 " " " N 81 E. 49 "  
23.12 on Ironwood 5 in. dia.  
30.90 Set q. sec. post. from which  
a Beech 14 in. dia. bears N 46 E. 19 Ch. at.  
a Lym<sup>re</sup> 6 " " " S 46 W. 24 " "  
47.88 a Beech 16 " "  
61.84 a Cherry 12 " "  
70.90 Sec. Cor.

North Between sec. 5 & 6.

12.18 a Buckeye 10 in. dia.  
28.15 a Beech 14 " "  
40.00 Set q. sec. post. from which  
a Beech 12 in. dia. bears N 57 W. 6 Ch. ditto.  
a Do. 20 " " " N 44 E. 30 " "  
52.54 a Do. 36 " "  
59.00 To Long Lois Creek 50 Ch. wide on W.  
73.64 Intersect Township line 81 Ch. N.  
of post & set post. cor. to sec. 5 & 6,  
an Elm 40 in. dia. bears S 5 E. 26 Ch.  
a Buckeye 14 " " " S 50 W. 30 " ditto.  
Land, rolling & good. Tim. Beech,  
Sugar Ash, Oak, Elm Hickory &  
Lym<sup>re</sup> &c. Spice &c.  
(10.75 at S. W. cor of Grant N. 38. to Chapine)  
Nov. 29. 1839 Surveyed by C. Carter, D.S.



T. 28 N. R. 11 E. 2<sup>nd</sup> Mer. Ind.

I Certify that in pursuance of a  
 Contract with Co. J. Gaines, Sur.  
 Genl. of the United States,  
 for the States of Ohio, Indiana  
 and Michigan bearing date  
 the 20<sup>th</sup> of April 1839, And  
 in strict conformity to the Laws  
 of the United States, and the  
 Instructions of the Said Surveyor  
 General; I have Surveyed and  
 Subdivided into sections, Tract  
 Township N<sup>o</sup>. 28 N. R. 11 E. In the  
 State of Indiana & I do further  
 Certify that the foregoing are  
 the true and Original Field  
 Notes of said survey & subdivisions  
 executed as aforesaid.  
 Certified this the 1<sup>st</sup> day of Dec:  
 1839.

C. Carter, Dep. Sur.  
 E. Hargraves }  
 W<sup>m</sup> Miller. } Chairman.  
 W<sup>m</sup> J. Shaver - marker.

(This line omitted in proper place)  
 North Between sec. 28 & 29.  
 16.87 a B<sup>c</sup> Oak 40 in. dia.  
 29.00 a Wh. Oak 2.8 " "  
 40.00 Set gr. Sec. post from which  
 a Bl. Oak 2.0 in. diam. bears North 4 lb. dist.  
 a Beech 15 " " " S 20 W. 16 " "  
 52.84 a B<sup>c</sup> Oak 18 in. diam.  
 66.80 an Elm 36 in. diam.  
 80.00 Set post cor. to sec. 20, 21, 28 & 29, from wh.  
 a Beech 20 in. dia. br. N 4 W. 26 lb. dist. &  
 a Do. 22 " " " S 2 W. 17 " "

T. 28 N. R. 11 E. 2<sup>nd</sup> Mer. Indiana.  
Ch. W.

Land, level & dry 2<sup>nd</sup> rate. Timber:  
Beech, Oak, sugar, Ash, Elm &  
Hickory, Lyrn &c. Spice, Hawk.

East on Random Bet<sup>n</sup> <sup>omitted in proper place,</sup> Sec. 21 & 28.

78.95 Intersect E. 194 lb. N. of post.  
Land &c, the same.

West Correct line Bet<sup>n</sup> Sec. 21 & 28.

16.21 a Beech 24 in. dia.

28.25 an Elm 20 " "

39.48 Set q. Sec. post, from which  
a Sycamore 30 in. dia. br. 177 E. 4 lb. dist. X  
an Ash 20 " " " N 16 E. 11 " "

48.50 a Lyrn 12 " "

64.72 a Wh. Oak 14 in. dia.

78.95 Sec. Cor.

I certify that the foregoing transcripts of the  
field notes of Township N. 28 North, Range  
R. 11 East of the 2<sup>nd</sup> Principal Meridian,  
Indiana, has been compared with the original  
field notes in this office and found to be  
correct.

Surveyor General's Office William Johnston  
Cincinnati, Feby. 27<sup>th</sup> 1845. Sur. Genl.